

LIS009408855B2

(12) United States Patent

Fujimoto et al.

(54) THERMORESPONSIVE, BIODEGRADABLE, ELASTOMERIC MATERIAL AND USES THEREFOR

(71) Applicant: University of Pittsburgh—Of the

Commonwealth System of Higher Education, Pittsburgh, PA (US)

(72) Inventors: Kazuro Lee Fujimoto, Pittsburgh, PA

(US); Jianjun Guan, Dublin, OH (US); Zuwei Ma, Woburn, MA (US); William

R. Wagner, Gibsonia, PA (US)

(73) Assignee: University of Pittsburgh—Of the

Commonwealth System of Higher Education, Pittsburgh, PA (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/166,117

(22) Filed: Jan. 28, 2014

(65) **Prior Publication Data**

US 2014/0213517 A1 Jul. 31, 2014

Related U.S. Application Data

- (62) Division of application No. 13/265,067, filed as application No. PCT/US2010/033181 on Apr. 30, 2010, now Pat. No. 8,673,295.
- (60) Provisional application No. 61/174,088, filed on Apr. 30, 2009.

(51)	Int. Cl.	
	A61K 31/56	(2006.01)
	A61K 38/18	(2006.01)
	A61K 38/22	(2006.01)
	A61K 38/30	(2006.01)
	A61K 47/32	(2006.01)
	A61K 9/00	(2006.01)
	A61L 27/52	(2006.01)
	A61L 27/58	(2006.01)

(52) U.S. Cl.

(58) Field of Classification Search

CPC A61K 31/56; A61K 38/18; A61K 38/22; A61K 38/30; A61K 47/32 USPC 424/405, 487 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,763,548	Α	6/1998	Matyjaszewski et al.
5,789,487			Matyjaszewski et al.
5,807,937	Α	9/1998	Matyjaszewski et al.

(10) Patent No.: US 9,408,855 B2

(45) **Date of Patent:**

Aug. 9, 2016

6,541,580			Matyjaszewski et al.
7,678,869 2002/0015734	A1*		Matyjaszewski et al. Uludag et al 424/486
2005/0154376			Riviere et al.
2008/0096975	ΑI	4/2008	Guan et al.

FOREIGN PATENT DOCUMENTS

WO 2004/014969 * 2/2004

OTHER PUBLICATIONS

Fournier et al. (Macromolecules, Published 2007, pp. 915-920).* Devin Max Nelson (PhD Dissertation, Controlled Drug Delivery from Biomaterials Used for Cardiac Repair, 2012).*

Langloise et al. (Polymer Degradation and Stability, Published 2002, pp. 411-417).*

Aoki et al., Angiogenesis induced by hepatocyte growth factor in non-infarcted myocardium and infarcted myocardium: up-regulation of essential transcription factor for angiogenesis, ets, Gene Therapy, 2000, pp. 417-427, vol. 7.

Appell, Collagen Injection Therapy for Urinary Incontinence, The Craft of Urologic Surgery, Feb. 1994, pp. 177-182, vol. 21, No. 1. Bae et al., Polymeric Materials Encyclopedia: vol. 4, F-G, 1996, pp. 2490-2492, CRC Press, Editor Joseph C. Salamone, New York.

Batista et al., Partial Left Ventriculectomy to Treat End-Stage Heart Disease, Ann Thorac Surg, 1997, pp. 634-638, vol. 64.

Bromberg et al., Temperature-responsive gels and thermogelling polymer matrices for protein and peptide delivery, Advanced Drug Delivery Reviews, 1998, pp. 197-221, vol. 31.

Chaudhry et al., Passive Epicardial Containment Prevents Ventricular Remodeling in Heart Failure, Ann Thorac Surg, 2000, pp. 1275-1280, vol. 70.

Christman et al., Fibrin Glue Alone and Skeletal Myoblasts in a Fibrin Scaffold Preserve Cardiac Function after Myocardial Infarction, Tissue Engineering, 2004, pp. 403-409, vol. 10, No. 3/4.

Christman et al., Biomaterials for the Treatment of Myocardial Infarction, Journal of the American College of Cardiology, 2006, p. 907-913, vol. 48.

Cloyd et al., Material properties in unconfined compression of human nucleus pulposus, injectable hyaluronic acid-based based hydrogels and tissue engineering scaffolds, Eur Spine J, 2007, pp. 1892-1898, vol. 16.

Cui et al., New Hydrolysis-Dependent Thermosensitive Polymer for an Injectable Degradable System, Biomacromolecules, 2007, pp. 1280-1286, vol. 8.

(Continued)

Primary Examiner — Alma Pipic (74) Attorney, Agent, or Firm — The Webb Law Firm

(57) ABSTRACT

Provided are novel biocompatible copolymers and compositions comprising the copolymers. The copolymers are nontoxic and typically have an LCST below 37° C. Compositions comprising the copolymers can be used for wound treatment, as a cellular growth matrix or niche and for injection into cardiac tissue to repair and mechanically support damaged tissue. The copolymers comprise numerous ester linkages so that the copolymers are erodeable in situ. Degradation products of the copolymers are soluble and non-toxic. The copolymers can be amine-reactive so that they can conjugate with proteins, such as collagen. Active ingredients, such as drugs, can be incorporated into compositions comprising the copolymers.

21 Claims, 36 Drawing Sheets